



					<u> </u>				<u> </u>	
	Administration Interface						Cache Management			
	Administrat				Interoperability / Communication Infractructure		Workflow and Notification 206			
			-e				Systems Administration & Monitoring 205			
	Clinician Interface	Security Layer	Common Interface Layer				Resource Access Description Service			
							Clinical Information Locator Service 203			
	Application Interface						Person ID Service			
	₹						Correlation System 201			

FIG. 2



F16. 3






FIG. 5







FIG. 6








F16.8



F16.9







F16, 12








FIG. 13




















F16,19







FIG. 20



F16,21





F16.23

```
<?xml version ="1.0"?> <schema xmlns = "http://www.w3.org/ 1999/XMLSchema">
 <!ELEMENT ebXMLHeader (Manifest , Header )>
 <!ATTLIST ebXMLHeader Version CDATA #FIXED '1.0'
 MessageType CDATA #FIXED 'Normal' >
 <!ELEMENT Manifest (DocumentReference )+>
 <!ELEMENT DocumentReference (Document Description?, DocumentLabel , DocumentId )>
 <!ELEMENT DocumentDescription (#PCDATA )>
 <!ATTLIST DocumentDescription e-dtype NMTOKEN #FIXED 'string' >
 <!ELEMENT DocumentLabel (#PCDATA )>
 <!ATTLIST DocumentLabel e-dtype NMTOKEN #FIXED 'string' >
 <!ELEMENT DocumentId (#PCDATA )>
 <!ATTLIST DocumentId e-dtype NMTOKEN #FIXED 'uri' >
 <!ELEMENT Header (From , To , TPAInfo , MessageData , ReliableMessagingInfo )>
 <!ELEMENT TPAInfo (TPAId , ConversationId , ServiceInterface , Action )>
 <!ELEMENT ServiceInterface (#PCDATA )>
 <!ATTLIST ServiceInterface e-dtype NMTOKEN #FIXED 'string' >
 <!ELEMENT Action (#PCDATA )>
 <!ATTLIST Action e-dtype NMTOKEN #FIXED 'string' >
 <!ELEMENT TPAId (#PCDATA )>
 Z!ATTLIST TPAId context CDATA 'Undefined'
e-dtype NMTOKEN #FIXED 'uri' >
!ELEMENT ConversationId (#PCDATA )>
ATTLIST ConversationId context CDATA 'Undefined'
e-dtype NMTOKEN #FIXED 'uri' >
ELEMENT MessageData (MessageId , TimeStamp , RefToMessageId )>
ELEMENT RefToMessageId (#PCDATA )>
|<!ATTLIST RefToMessageId e-dtype NMTOKEN #FIXED 'uuid' >
ELEMENT MessageId (#PCDATA )>
ATTLIST MessageId e-dtype NMTOKEN #FIXED 'uuid' >
ELEMENT From (PartyId )>
ELEMENT To (PartyId )>
ELEMENT PartyId (#PCDATA )>
ATTLIST PartyId context CDATA 'Undefined'
e-dtype NMTOKEN #FIXED 'uri' >
<!ELEMENT ReliableMessagingInfo EMPTY>
<!ATTLIST ReliableMessagingInfo DeliverySemantics (OnceAndOnlyOnce | BestEffort )</pre>
#FIXED 'BestEffort' >
<!ELEMENT RoutingHeader (SenderURI , ReceiverURI , ErrorURI, Timestamp,
SequenceNumber )> <!ELEMENT SenderURI (#PCDATA )>
<!ATTLIST SenderURI e-dtype NMTOKEN #FIXED 'uri' >
<!ELEMENT ReceiverURI (#PCDATA )>
<!ATTLIST ReceiverURI e-dtype NMTOKEN #FIXED 'uri' >
<!ELEMENT ErrorURI (#PCDATA )>
<!ATTLIST ErrorURI e-dtype NMTOKEN #FIXED 'uri' >
<!ELEMENT TimeStamp (#PCDATA )>
<!ATTLIST TimeStamp e-dtype NMTOKEN #FIXED 'dateTime' >
<!ELEMENT SequenceNumber (#PCDATA )>
```

```
<!-- Include HL7 Version 2.3.1 datatypes specification -->
 <!ENTITY % HL7V231-datatypes PUBLIC "-//HL7//DTD HL7 V2.3.1 datatype
 definitions//EN" "datatypes.dtd">
 %HL7V231-datatypes;
 <!-- Message declaration -->
 <!ENTITY % ADT_A08.CONTENT "(MSH,EVN,PID)">
 <!ELEMENT ADT A08 %ADT A08.CONTENT;>
 <!-- Segment declarations -->
 <!ENTITY % EVN.CONTENT "(EVN.1?,EVN.2,EVN.4?,EVN.7?)">
 <!ELEMENT EVN %EVN.CONTENT;>
 <!ENTITY % MSH.CONTENT "(MSH.1,MSH.2,MSH.3?,MSH.4?,MSH.5?,MSH.6?,MSH.7,MSH.8?,MSH.</pre>
 9, MSH.10, MSH.11, MSH.12, MSH.13?, MSH.14?, MSH.15?, MSH.16?">
 <!ELEMENT MSH %MSH.CONTENT;>
 <!ENTITY % PID.CONTENT "(PID.3+,PID.5+,PID.6*,PID.7?,PID.8?,PID.9*,PID.10*,PID.11*
 PID.12?, PID.13*, PID.14*, PID.16?, PID.17?, PID.19?, PID.20?, PI
D.22*, PID.23?, PID.28?) ">
 <!ELEMENT PID %PID.CONTENT;>
!-- Field declarations -->
ि!-- EVN field declarations -->
ELEMENT EVN.1 %EVN.1.CONTENT; >
ENTITY % EVN.1.ATTRIBUTES "Item CDATA #FIXED '99'
→ Table CDATA #FIXED '3'
LongName CDATA #FIXED 'Event Type Code'
  Type CDATA #FIXED 'ID'">
ATTLIST EVN.1 %EVN.1.ATTRIBUTES; >
ENTITY % EVN.2.CONTENT "%TS;">
ELEMENT EVN.2 %EVN.2.CONTENT;>
ENTITY % EVN.2.ATTRIBUTES "Item CDATA #FIXED '100'
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Recorded Date/Time'
Type CDATA #FIXED 'TS'">
<!ATTLIST EVN.2 %EVN.2.ATTRIBUTES; >
<!ENTITY % EVN.4.CONTENT "%IS;">
<!ELEMENT EVN.4 %EVN.4.CONTENT;>
<!ENTITY % EVN.4.ATTRIBUTES "Item CDATA #FIXED '102'</pre>
  Table CDATA #FIXED '62'
  LongName CDATA #FIXED 'Event Reason Code'
  Type CDATA #FIXED 'IS'">
<!ATTLIST EVN.4 %EVN.4.ATTRIBUTES; >
<!ENTITY % EVN.7.CONTENT "%HD;">
<!ELEMENT EVN.7 %EVN.7.CONTENT;>
<!ENTITY % EVN.7.ATTRIBUTES "Item CDATA #FIXED '1534'</pre>
Table CDATA #FIXED '0'
LongName CDATA #FIXED Event Facility'
Type CDATA #FIXED 'HD'">
<!ATTLIST EVN.7 %EVN.7.ATTRIBUTES; >
```

```
<!-- MSH field declarations -->
 <!ENTITY % MSH.1.CONTENT "%ST;">
 <!ELEMENT MSH.1 %MSH.1.CONTENT;>
 <!ENTITY % MSH.1.ATTRIBUTES "Item CDATA #FIXED '1'
 Table CDATA #FIXED '0'
 LongName CDATA #FIXED 'Field Separator'
 Type CDATA #FIXED 'ST'">
 <!ATTLIST MSH.1 %MSH.1.ATTRIBUTES; >
 <!ENTITY % MSH.2 .CONTENT "%ST;">
 <!ELEMENT MSH.2 %MSH.2.CONTENT;>
 <!ENTITY % MSH.2.ATTRIBUTES "Item CDATA #FIXED '2'
 Table CDATA #FIXED '0'
 LongName CDATA #FIXED 'Encoding Characters'
 Type CDATA #FIXED 'ST'">
 <!ATTLIST MSH.2 %MSH.2.ATTRIBUTES; >
 <!ENTITY % MSH.3.CONTENT "%HD;">
!ELEMENT MSH.3 %MSH.3.CONTENT;>
ENTITY % MSH.3.ATTRIBUTES "Item CDATA #FIXED '3'
Table CDATA #FIXED '361'
LongName CDATA #FIXED 'Sending Application'
Type CDATA #FIXED 'HD'">
ATTLIST MSH.3 %MSH.3.ATTRIBUTES; >

↓!ENTITY % MSH.4.CONTENT "%HD;">
!ELEMENT MSH.4 %MSH.4.CONTENT; >
ENTITY % MSH.4.ATTRIBUTES "Item CDATA #FIXED '4'
Table CDATA #FIXED '362'
LongName CDATA #FIXED 'Sending Facility'
Type CDATA #FIXED 'HD'">
ATTLIST MSH.4 %MSH.4.ATTRIBUTES; >
<!ENTITY % MSH.5.CONTENT "%HD;">
<!ELEMENT MSH.5 %MSH.5.CONTENT;>
<!ENTITY % MSH.5.ATTRIBUTES "Item CDATA #FIXED '5'
Table CDATA #FIXED '361'
LongName CDATA #FIXED 'Receiving Application'
Type CDATA #FIXED 'HD'">
<!ATTLIST MSH.5 %MSH.5.ATTRIBUTES; >
<!ENTITY % MSH.6.CONTENT "%HD;">
<!ELEMENT MSH.6 %MSH.6.CONTENT;>
<!ENTITY % MSH.6.ATTRIBUTES "Item CDATA #FIXED '6'</pre>
Table CDATA #FIXED '362'
LongName CDATA #FIXED 'Receiving Facility'
Type CDATA #FIXED 'HD'">
<!ATTLIST MSH.6 %MSH.6.ATTRIBUTES; >
<!ENTITY % MSH.7.CONTENT "%TS;">
<!ELEMENT MSH.7 %MSH.7.CONTENT;>
```

```
<!ENTITY % MSH.7.ATTRIBUTES "Item CDATA #FIXED '7'</pre>
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Date/Time Of Message'
Type CDATA #FIXED 'TS'">
<!ATTLIST MSH.7 %MSH.7.ATTRIBUTES; >
<!ENTITY % MSH.8.CONTENT "%ST;">
<!ELEMENT MSH.8 %MSH.8.CONTENT;>
<!ENTITY % MSH.8.ATTRIBUTES "Item CDATA #FIXED '8'
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Security'
Type CDATA #FIXED 'ST'">
<!ATTLIST MSH.8 %MSH.8.ATTRIBUTES; >
<!ENTITY % MSH.9.CONTENT "%CM MSG TYPE;">
<!ELEMENT MSH.9 %MSH.9.CONTENT;>
<!ENTITY % MSH.9.ATTRIBUTES "Item CDATA #FIXED '9'</pre>
Table CDATA #FIXED '76'
DongName CDATA #FIXED 'Message Type'
Type CDATA #FIXED 'CM MSG TYPE'">
| ATTLIST MSH.9 %MSH.9.ATTRIBUTES; >
ENTITY % MSH.10.CONTENT "%ST;">
e!ELEMENT MSH.10 %MSH.10.CONTENT;>
ENTITY % MSH.10.ATTRIBUTES "Item CDATA #FIXED '10'
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Message Control ID'
Type CDATA #FIXED 'ST'">
ATTLIST MSH.10 %MSH.10.ATTRIBUTES; >
E!ENTITY % MSH.11.CONTENT "%PT;">
ELEMENT MSH.11 %MSH.11.CONTENT;>
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Processing ID'
Type CDATA #FIXED 'PT'">
<!ATTLIST MSH.11 %MSH.11.ATTRIBUTES; >
<!ENTITY % MSH.12.CONTENT "%VID:">
<!ELEMENT MSH.12 %MSH.12.CONTENT;>
<!ENTITY % MSH.12.ATTRIBUTES "Item CDATA #FIXED '12'
Table CDATA #FIXED '104'
LongName CDATA #FIXED 'Version ID'
Type CDATA #FIXED 'VID'">
<!ATTLIST MSH.12 %MSH.12.ATTRIBUTES; >
<!ENTITY % MSH.13.CONTENT "%NM;">
<!ELEMENT MSH.13 %MSH.13.CONTENT;>
<!ENTITY % MSH.13.ATTRIBUTES "Item CDATA #FIXED '13'</pre>
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Sequence Number'
```

```
Type CDATA #FIXED 'NM'">
  <!ATTLIST MSH.13 %MSH.13.ATTRIBUTES; >
  <!ENTITY % MSH.14.CONTENT "%ST;">
 <!ELEMENT MSH.14 %MSH.14.CONTENT;>
 <!ENTITY % MSH.14.ATTRIBUTES "Item CDATA #FIXED '14'</p>
 Table CDATA #FIXED '0'
 LongName CDATA #FIXED 'Continuation Pointer'
 Type CDATA #FIXED 'ST'">
 <!ATTLIST MSH.14 %MSH.14.ATTRIBUTES; >
 <!ENTITY % MSH.15.CONTENT "%ID;">
 <!ELEMENT MSH.15 %MSH.15.CONTENT;>
 <!ENTITY % MSH.15.ATTRIBUTES "Item CDATA #FIXED '15'</pre>
 Table CDATA #FIXED '155'
 LongName CDATA #FIXED 'Accept Acknowledgment Type'
 Type CDATA #FIXED 'ID'">
 <!ATTLIST MSH.15 %MSH.15.ATTRIBUTES; >
ENTITY % MSH.16.CONTENT "%ID;">
 ELEMENT MSH.16 %MSH.16.CONTENT;>
 ENTITY % MSH.16.ATTRIBUTES "Item CDATA #FIXED '16'
 Table CDATA #FIXED '155'
LongName CDATA #FIXED 'Application Acknowledgment Type'
Type CDATA #FIXED 'ID'">
ATTLIST MSH.16 %MSH.16.ATTRIBUTES; >
₹!-- PID Field declarations -->
 ENTITY % PID.3.CONTENT "%CX;">
ELEMENT PID.3 %PID.3.CONTENT; >
ENTITY % PID.3.ATTRIBUTES "Item CDATA #FIXED '106'
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Patient Identifier List'
Type CDATA #FIXED 'CX'">
<!ATTLIST PID.3 %PID.3.ATTRIBUTES; >
<!ENTITY % PID.5.CONTENT "%XPN;">
<!ELEMENT PID.5 %PID.5.CONTENT;>
<!ENTITY % PID.5.ATTRIBUTES "Item CDATA #FIXED '108'</pre>
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Patient Name'
Type CDATA #FIXED 'XPN'">
<!ATTLIST PID.5 %PID.5.ATTRIBUTES; >
<!ENTITY % PID.6.CONTENT "%XPN;">
<!ELEMENT PID.6 %PID.6.CONTENT;>
<!ENTITY % PID.6.ATTRIBUTES "Item CDATA #FIXED '109'</pre>
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Mother's Maiden Name'
Type CDATA #FIXED 'XPN'">
<!ATTLIST PID.6 %PID.6.ATTRIBUTES; >
```

```
<!ENTITY % PID.7.CONTENT "%TS;">
  <!ELEMENT PID.7 %PID.7.CONTENT;>
 <!ENTITY % PID.7.ATTRIBUTES "Item CDATA #FIXED '110'</pre>
 Table CDATA #FIXED '0'
 LongName CDATA #FIXED 'Date/Time Of Birth'
 Type CDATA #FIXED 'TS'">
 <!ATTLIST PID.7 %PID.7.ATTRIBUTES; >
 <!ENTITY % PID.8.CONTENT "%IS;">
 <!ELEMENT PID.8 %PID.8.CONTENT;>
 <!ENTITY % PID.8.ATTRIBUTES "Item CDATA #FIXED '111'
 Table CDATA #FIXED '1'
 LongName CDATA #FIXED 'Administrative Sex'
 Type CDATA #FIXED 'IS'">
 <!ATTLIST PID.8 %PID.8.ATTRIBUTES; >
 <!ENTITY % PID.9.CONTENT "%XPN;">
 <!ELEMENT PID.9 %PID.9.CONTENT;>
 ENTITY % PID.9.ATTRIBUTES "Item CDATA #FIXED '112'
 Table CDATA #FIXED '0'
 LongName CDATA #FIXED 'Patient Alias'
Type CDATA #FIXED 'XPN'">
ATTLIST PID.9 %PID.9.ATTRIBUTES; >
 ENTITY % PID.10.CONTENT "%CE;">
ELEMENT PID.10 %PID.10.CONTENT;>
ENTITY % PID.10.ATTRIBUTES "Item CDATA #FIXED '113'
Table CDATA #FIXED '5'
LongName CDATA #FIXED 'Race'
Type CDATA #FIXED 'CE'">
ATTLIST PID.10 %PID.10.ATTRIBUTES; >
<!ENTITY % PID.11.CONTENT "%XAD;">
<!ELEMENT PID.11 %PID.11.CONTENT;>
<!ENTITY % PID.11.ATTRIBUTES "Item CDATA #FIXED '114'</p>
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Patient Address'
Type CDATA #FIXED 'XAD'">
<!ATTLIST PID.11 %PID.11.ATTRIBUTES; >
<!ENTITY % PID.12.CONTENT "%IS;">
<!ELEMENT PID.12 %PID.12.CONTENT;>
<!ENTITY % PID.12.ATTRIBUTES "Item CDATA #FIXED '115'</pre>
Table CDATA #FIXED '289'
LongName CDATA #FIXED 'County Code'
Type CDATA #FIXED 'IS'">
<!ATTLIST PID.12 %PID.12.ATTRIBUTES; >
<!ENTITY % PID.13.CONTENT "%XTN;">
<!ELEMENT PID.13 %PID.13.CONTENT;>
<!ENTITY % PID.13.ATTRIBUTES "Item CDATA #FIXED '116'</pre>
```

```
Table CDATA #FIXED '0'
 LongName CDATA #FIXED 'Phone Number - Home'
 Type CDATA #FIXED 'XTN'">
 <!ATTLIST PID.13 %PID.13.ATTRIBUTES; >
 <!ENTITY % PID.14.CONTENT "%XTN;">
 <!ELEMENT PID.14 %PID.14.CONTENT;>
 <!ENTITY % PID.14.ATTRIBUTES "Item CDATA #FIXED '117'
 Table CDATA #FIXED '0'
 LongName CDATA #FIXED 'Phone Number - Business'
 Type CDATA #FIXED 'XTN'">
 <!ATTLIST PID.14 %PID.14.ATTRIBUTES; >
 <!ENTITY % PID.16.CONTENT "%CE;">
 <!ELEMENT PID.16 %PID.16.CONTENT;>
 <!ENTITY % PID.16.ATTRIBUTES "Item CDATA #FIXED '119'</pre>
 Table CDATA #FIXED '2'
 LongName CDATA #FIXED 'Marital Status'
Type CDATA #FIXED 'CE'">
ATTLIST PID.16 %PID.16.ATTRIBUTES; >
 ENTITY % PID.17.CONTENT "%CE;">
 ELEMENT PID.17 %PID.17.CONTENT;>
ENTITY % PID.17.ATTRIBUTES "Item CDATA #FIXED '120'
Table CDATA #FIXED '6'
TongName CDATA #FIXED 'Religion'
Type CDATA #FIXED 'CE'">
<!ATTLIST PID.17 %PID.17.ATTRIBUTES; >
| ENTITY % PID.19.CONTENT "%ST;">
ELEMENT PID.19 %PID.19.CONTENT; >
ENTITY % PID.19.ATTRIBUTES "Item CDATA #FIXED '122'
Fable CDATA #FIXED '0'
LongName CDATA #FIXED 'SSN Number - Patient'
Type CDATA #FIXED 'ST'">
<!ATTLIST PID.19 %PID.19.ATTRIBUTES; >
<!ENTITY % PID.20.CONTENT "%DLN;">
<!ELEMENT PID.20 %PID.20.CONTENT;>
<!ENTITY % PID.20.ATTRIBUTES "Item CDATA #FIXED '123'</pre>
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Driver's License Number - Patient'
Type CDATA #FIXED 'DLN'">
<!ATTLIST PID.20 %PID.20.ATTRIBUTES; >
<!ENTITY % PID.22.CONTENT "%CE;">
<!ELEMENT PID.22 %PID.22.CONTENT;>
<!ENTITY % PID.22.ATTRIBUTES "Item CDATA #FIXED '125'
Table CDATA #FIXED '189'
LongName CDATA #FIXED 'Ethnic Group'
Type CDATA #FIXED 'CE'">
```

```
Y TACTY!
```

```
<!ATTLIST PID.22 %PID.22.ATTRIBUTES; >
<!ENTITY % PID.23.CONTENT "%ST;">
<!ELEMENT PID.23 %PID.23.CONTENT;>
<!ENTITY % PID.23.ATTRIBUTES "Item CDATA #FIXED '126'
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Birth Place'
Type CDATA #FIXED 'ST'">
<!ATTLIST PID.23 %PID.23.ATTRIBUTES; >
<!ENTITY % PID.28.CONTENT "%CE;">
<!ENTITY % PID.28.CONTENT;>
<!ELEMENT PID.28 %PID.28.CONTENT;>
<!ENTITY % PID.28.ATTRIBUTES "Item CDATA #FIXED '739'
Table CDATA #FIXED '212'
LongName CDATA #FIXED 'Nationality'
Type CDATA #FIXED 'CE'">
<!ATTLIST PID.28 %PID.28.ATTRIBUTES; >
```

```
<!-- Include HL7 Version 2.3.1 datatypes specification -->
 <!ENTITY % HL7V231-datatypes PUBLIC "-//HL7//DTD HL7 V2.3.1 datatype
 definitions//EN" "datatypes.dtd">
 %HL7V231-datatypes;
 <!-- Message declaration -->
 <!ENTITY % ADT_A29.CONTENT "(MSH,EVN,PID)">
 <!ELEMENT ADT_A29 %ADT A29.CONTENT;>
 <!-- Segment declarations -->
 <!ENTITY % EVN.CONTENT "(EVN.1?, EVN.2, EVN.4?, EVN.7?)">
 <!ELEMENT EVN %EVN.CONTENT;>
 <!ENTITY % MSH.CONTENT "(MSH.1,MSH.2,MSH.3?,MSH.4?,MSH.5?,MSH.6?,MSH.7,MSH.8?,MSH.</pre>
 9,MSH.10,MSH.11,MSH.12,MSH.13?,MSH.14?,MSH.15?,MSH.16?">
 <!ELEMENT MSH %MSH.CONTENT;>
 <!ENTITY % PID.CONTENT "(PID.3+, PID.5+)">
 <!ELEMENT PID %PID.CONTENT;>
 <!-- Field declarations -->
 হূ়!-- EVN field declarations -->
ELEMENT EVN.1 %EVN.1.CONTENT; >
ENTITY % EVN.1.ATTRIBUTES "Item CDATA #FIXED '99'
Table CDATA #FIXED '3'
  LongName CDATA #FIXED 'Event Type Code'
Type CDATA #FIXED 'ID'">
|ATTLIST EVN.1 %EVN.1.ATTRIBUTES; >
ENTITY % EVN.2.CONTENT "%TS;">
ELEMENT EVN.2 %EVN.2.CONTENT; >
ENTITY % EVN.2.ATTRIBUTES "Item CDATA #FIXED '100'
  Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Recorded Date/Time'
  Type CDATA #FIXED 'TS'">
<!ATTLIST EVN.2 %EVN.2.ATTRIBUTES; >
<!ENTITY % EVN.4.CONTENT "%IS;">
<!ELEMENT EVN.4 %EVN.4.CONTENT;>
<!ENTITY % EVN.4.ATTRIBUTES "Item CDATA #FIXED '102'</pre>
  Table CDATA #FIXED '62'
  LongName CDATA #FIXED 'Event Reason Code'
  Type CDATA #FIXED 'IS'">
<!ATTLIST EVN.4 %EVN.4.ATTRIBUTES; >
<!ENTITY % EVN.7.CONTENT "%HD;">
<!ELEMENT EVN.7 %EVN.7.CONTENT;>
<!ENTITY % EVN.7.ATTRIBUTES "Item CDATA #FIXED '1534'</pre>
  Table CDATA #FIXED '0'
 LongName CDATA #FIXED Event Facility'
  Type CDATA #FIXED 'HD'">
<!ATTLIST EVN.7 %EVN.7.ATTRIBUTES; >
<!-- MSH field declarations -->
```

```
<!ENTITY % MSH.1.CONTENT "%ST;">
 <!ELEMENT MSH.1 %MSH.1.CONTENT;>
 <!ENTITY % MSH.1.ATTRIBUTES "Item CDATA #FIXED '1'</pre>
   Table CDATA #FIXED '0'
   LongName CDATA #FIXED 'Field Separator'
   Type CDATA #FIXED 'ST'">
 <!ATTLIST MSH.1 %MSH.1.ATTRIBUTES; >
 <!ENTITY % MSH.2 .CONTENT "%ST:">
 <!ELEMENT MSH.2 %MSH.2.CONTENT;>
 <!ENTITY % MSH.2.ATTRIBUTES "Item CDATA #FIXED '2'
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Encoding Characters'
  Type CDATA #FIXED 'ST'">
<!ATTLIST MSH.2 %MSH.2.ATTRIBUTES; >
<!ENTITY % MSH.3.CONTENT "%HD;">
<!ELEMENT MSH.3 %MSH.3.CONTENT;>
ENTITY % MSH.3.ATTRIBUTES "Item CDATA #FIXED '3'
  Table CDATA #FIXED '361'
  LongName CDATA #FIXED 'Sending Application'
Type CDATA #FIXED 'HD'">
ATTLIST MSH.3 %MSH.3.ATTRIBUTES; >
ENTITY % MSH.4.CONTENT "%HD;">
<!ELEMENT MSH.4 %MSH.4.CONTENT;>
ENTITY % MSH.4.ATTRIBUTES "Item CDATA #FIXED '4'
Table CDATA #FIXED '362'
LongName CDATA #FIXED 'Sending Facility'
Type CDATA #FIXED 'HD'">
ATTLIST MSH.4 %MSH.4.ATTRIBUTES; >
<!ENTITY % MSH.5.CONTENT "%HD;">
<!ELEMENT MSH.5 %MSH.5.CONTENT;>
<!ENTITY % MSH.5.ATTRIBUTES "Item CDATA #FIXED '5'
  Table CDATA #FIXED '361'
 LongName CDATA #FIXED 'Receiving Application'
  Type CDATA #FIXED 'HD'">
<!ATTLIST MSH.5 %MSH.5.ATTRIBUTES; >
<!ENTITY % MSH.6.CONTENT "%HD;">
<!ELEMENT MSH.6 %MSH.6.CONTENT;>
<!ENTITY % MSH.6.ATTRIBUTES "Item CDATA #FIXED '6'</pre>
  Table CDATA #FIXED '362'
 LongName CDATA #FIXED 'Receiving Facility'
 Type CDATA #FIXED 'HD'">
<!ATTLIST MSH.6 %MSH.6.ATTRIBUTES; >
<!ENTITY % MSH.7.CONTENT "%TS;">
<!ELEMENT MSH.7 %MSH.7.CONTENT;>
<!ENTITY % MSH.7.ATTRIBUTES "Item CDATA #FIXED '7'</pre>
```

```
Table CDATA #FIXED '0'
   LongName CDATA #FIXED 'Date/Time Of Message'
   Type CDATA #FIXED 'TS'">
 <!ATTLIST MSH.7 %MSH.7.ATTRIBUTES; >
 <!ENTITY % MSH.8.CONTENT "%ST;">
 <!ELEMENT MSH.8 %MSH.8.CONTENT;>
 <!ENTITY % MSH.8.ATTRIBUTES "Item CDATA #FIXED '8'</pre>
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Security'
  Type CDATA #FIXED 'ST'">
 <!ATTLIST MSH.8 %MSH.8.ATTRIBUTES; >
 <!ENTITY % MSH.9.CONTENT "%CM MSG TYPE;">
 <!ELEMENT MSH.9 %MSH.9.CONTENT;>
 <!ENTITY % MSH.9.ATTRIBUTES "Item CDATA #FIXED '9'</pre>
  Table CDATA #FIXED '76'
  LongName CDATA #FIXED 'Message Type'
Type CDATA #FIXED 'CM_MSG_TYPE'">
| ATTLIST MSH.9 %MSH.9.ATTRIBUTES; >
| ENTITY % MSH.10.CONTENT "%ST;">
!ELEMENT MSH.10 %MSH.10.CONTENT;>
ENTITY % MSH.10.ATTRIBUTES "Item CDATA #FIXED '10'
Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Message Control ID'
Type CDATA #FIXED 'ST'">
ATTLIST MSH.10 %MSH.10.ATTRIBUTES; >
!!ENTITY % MSH.11.CONTENT "%PT;">
!ELEMENT MSH.11 %MSH.11.CONTENT;>
!ENTITY % MSH.11.ATTRIBUTES "Item CDATA #FIXED '11'
Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Processing ID'
  Type CDATA #FIXED 'PT'">
 <!ATTLIST MSH.11 %MSH.11.ATTRIBUTES; >
 <!ENTITY % MSH.12.CONTENT "%VID;">
 <!ELEMENT MSH.12 %MSH.12.CONTENT;>
 <!ENTITY % MSH.12.ATTRIBUTES "Item CDATA #FIXED '12'</pre>
  Table CDATA #FIXED '104'
  LongName CDATA #FIXED 'Version ID'
  Type CDATA #FIXED 'VID'">
 <!ATTLIST MSH.12 %MSH.12.ATTRIBUTES; >
 <!ENTITY % MSH.13.CONTENT "%NM;">
 <!ELEMENT MSH.13 %MSH.13.CONTENT;>
 <!ENTITY % MSH.13.ATTRIBUTES "Item CDATA #FIXED '13'</pre>
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Sequence Number'
  Type CDATA #FIXED 'NM'">
```

```
<!ATTLIST MSH.13 %MSH.13.ATTRIBUTES; >
<!ENTITY % MSH.14.CONTENT "%ST;">
<!ELEMENT MSH.14 %MSH.14.CONTENT;>
<!ENTITY % MSH.14.ATTRIBUTES "Item CDATA #FIXED '14'</pre>
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Continuation Pointer'
  Type CDATA #FIXED 'ST'">
<!ATTLIST MSH.14 %MSH.14.ATTRIBUTES; >
<!ENTITY % MSH.15.CONTENT "%ID;">
<!ELEMENT MSH.15 %MSH.15.CONTENT;>
<!ENTITY % MSH.15.ATTRIBUTES "Item CDATA #FIXED '15'</pre>
  Table CDATA #FIXED '155'
  LongName CDATA #FIXED 'Accept Acknowledgment Type'
  Type CDATA #FIXED 'ID'">
<!ATTLIST MSH.15 %MSH.15.ATTRIBUTES; >
<!ENTITY % MSH.16.CONTENT "%ID;">
ELEMENT MSH.16 %MSH.16.CONTENT;>
ENTITY % MSH.16.ATTRIBUTES "Item CDATA #FIXED '16'
Table CDATA #FIXED '155'
LongName CDATA #FIXED 'Application Acknowledgment Type'
Type CDATA #FIXED 'ID'">
 ATTLIST MSH.16 %MSH.16.ATTRIBUTES; >
!-- PID Field declarations -->
ENTITY % PID.3.CONTENT "%CX;">
ELEMENT PID.3 %PID.3.CONTENT;>
ENTITY % PID.3.ATTRIBUTES "Item CDATA #FIXED '106'
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Patient Identifier List'
 Type CDATA #FIXED 'CX'">
<!ATTLIST PID.3 %PID.3.ATTRIBUTES; >
<!ENTITY % PID.5.CONTENT "%XPN;">
<!ELEMENT PID.5 %PID.5.CONTENT;>
<!ENTITY % PID.5.ATTRIBUTES "Item CDATA #FIXED '108'</pre>
  Table CDATA #FIXED '0'
 LongName CDATA #FIXED 'Patient Name'
 Type CDATA #FIXED 'XPN'">
<!ATTLIST PID.5 %PID.5.ATTRIBUTES; >
```

```
<!-- Include HL7 Version 2.3.1 datatypes specification -->
 <!ENTITY % HL7V231-datatypes PUBLIC "-//HL7//DTD HL7 V2.3.1 datatype
 definitions//EN" "datatypes.dtd">
 %HL7V231-datatypes;
 <!-- Message declaration -->
 <!ENTITY % ADT_A47.CONTENT "(MSH, EVN, PID, MRG)">
 <!ELEMENT ADT_A47 %ADT_A47.CONTENT;>
 <!-- Segment declarations -->
 <!ENTITY % EVN.CONTENT "(EVN.1?, EVN.2, EVN.4?, EVN.7?)">
 <!ELEMENT EVN %EVN.CONTENT;>
 <!ENTITY % MSH.CONTENT "(MSH.1, MSH.2, MSH.3?, MSH.4?, MSH.5?, MSH.6?, MSH.7, MSH.8?, MSH.
 9, MSH.10, MSH.11, MSH.12, MSH.13?, MSH.14?, MSH.15?, MSH.16?">
 <!ELEMENT MSH %MSH.CONTENT;>
 <!ENTITY % PID.CONTENT "(PID.3+,PID.5+,PID.6*,PID.7?,PID.8?,PID.9*,PID.10*,PID.11*
 ,PID.12?,PID.13*,PID.14*,PID.16?,PID.17?,PID.19?,PID.20?,PI
D.22*, PID.23?, PID.28?) ">
 <!ELEMENT PID %PID.CONTENT;>
ENTITY % MRG.CONTENT "(MRG.1+">
र!ELEMENT MRG %MRG.CONTENT;>
إَّا -- Field declarations -->
<!-- EVN field declarations -->
ELEMENT EVN.1 %EVN.1.CONTENT; >
₹!ENTITY % EVN.1.ATTRIBUTES "Item CDATA #FIXED '99'
  Table CDATA #FIXED '3'
LongName CDATA #FIXED 'Event Type Code'
Type CDATA #FIXED 'ID'">
LATTLIST EVN.1 %EVN.1.ATTRIBUTES; >
!ENTITY % EVN.2.CONTENT "%TS;">
₹!ELEMENT EVN.2 %EVN.2.CONTENT;>
<!ENTITY % EVN.2.ATTRIBUTES "Item CDATA #FIXED '100'</pre>
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Recorded Date/Time'
  Type CDATA #FIXED 'TS'">
<!ATTLIST EVN.2 %EVN.2.ATTRIBUTES; >
<!ENTITY % EVN.4.CONTENT "%IS;">
<!ELEMENT EVN.4 %EVN.4.CONTENT;>
<!ENTITY % EVN.4.ATTRIBUTES "Item CDATA #FIXED '102'</p>
  Table CDATA #FIXED '62'
  LongName CDATA #FIXED 'Event Reason Code'
  Type CDATA #FIXED 'IS'">
<!ATTLIST EVN.4 %EVN.4.ATTRIBUTES; >
<!ENTITY % EVN.7.CONTENT "%HD;">
<!ELEMENT EVN.7 %EVN.7.CONTENT;>
<!ENTITY % EVN.7.ATTRIBUTES "Item CDATA #FIXED '1534'</pre>
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED Event Facility'
```

```
Type CDATA #FIXED 'HD'">
<!ATTLIST EVN.7 %EVN.7.ATTRIBUTES; >
<!-- MRG field declarations -->
<!ENTITY % MRG.1.CONTENT "%CX;">
<!ELEMENT MRG.3 %MRG.1.CONTENT;>
<!ENTITY % MRG.1.ATTRIBUTES "Item CDATA #FIXED '211'</pre>
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Prior Patient Identifier List'
  Type CDATA #FIXED 'CX'">
<!ATTLIST MRG.1 %MRG.1.ATTRIBUTES; >
<!-- MSH field declarations -->
<!ENTITY % MSH.1.CONTENT "%ST;">
<!ELEMENT MSH.1 %MSH.1.CONTENT;>
<!ENTITY % MSH.1.ATTRIBUTES "Item CDATA #FIXED '1'
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Field Separator'
  Type CDATA #FIXED 'ST'">
ATTLIST MSH.1 %MSH.1.ATTRIBUTES; >
'≼!ENTITY % MSH.2 .CONTENT "%ST;">
!ELEMENT MSH.2 %MSH.2.CONTENT;>
ENTITY % MSH.2.ATTRIBUTES "Item CDATA #FIXED '2'
  Table CDATA #FIXED '0'
 LongName CDATA #FIXED 'Encoding Characters'
Type CDATA #FIXED 'ST'">
ATTLIST MSH.2 %MSH.2.ATTRIBUTES; >
ENTITY % MSH.3.CONTENT "%HD;">
🐔 ELEMENT MSH.3 %MSH.3.CONTENT;>
ENTITY % MSH.3.ATTRIBUTES "Item CDATA #FIXED '3'
  Table CDATA #FIXED '361'
 LongName CDATA #FIXED 'Sending Application'
  Type CDATA #FIXED 'HD'">
<!ATTLIST MSH.3 %MSH.3.ATTRIBUTES; >
<!ENTITY % MSH.4.CONTENT "%HD;">
<!ELEMENT MSH.4 %MSH.4.CONTENT;>
<!ENTITY % MSH.4.ATTRIBUTES "Item CDATA #FIXED '4'
 Table CDATA #FIXED '362'
 LongName CDATA #FIXED 'Sending Facility'
  Type CDATA #FIXED 'HD'">
<!ATTLIST MSH.4 %MSH.4.ATTRIBUTES; >
<!ENTITY % MSH.5.CONTENT "%HD;">
<!ELEMENT MSH.5 %MSH.5.CONTENT;>
<!ENTITY % MSH.5.ATTRIBUTES "Item CDATA #FIXED '5'</pre>
 Table CDATA #FIXED '361'
 LongName CDATA #FIXED 'Receiving Application'
 Type CDATA #FIXED 'HD'">
```

```
<!ATTLIST MSH.5 %MSH.5.ATTRIBUTES; >
 <!ENTITY % MSH.6.CONTENT "%HD;">
 <!ELEMENT MSH.6 %MSH.6.CONTENT;>
 <!ENTITY % MSH.6.ATTRIBUTES "Item CDATA #FIXED '6'</pre>
   Table CDATA #FIXED '362'
   LongName CDATA #FIXED 'Receiving Facility'
   Type CDATA #FIXED 'HD'">
 <!ATTLIST MSH.6 %MSH.6.ATTRIBUTES; >
 <!ENTITY % MSH.7.CONTENT "%TS;">
 <!ELEMENT MSH.7 %MSH.7.CONTENT;>
 <!ENTITY % MSH.7.ATTRIBUTES "Item CDATA #FIXED '7'</pre>
   Table CDATA #FIXED '0'
   LongName CDATA #FIXED 'Date/Time Of Message'
   Type CDATA #FIXED 'TS'">
 <!ATTLIST MSH.7 %MSH.7.ATTRIBUTES; >
!ENTITY % MSH.8.CONTENT "%ST;">

ELEMENT MSH.8 %MSH.8.CONTENT; >
ENTITY % MSH.8.ATTRIBUTES "Item CDATA #FIXED '8'
Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Security'
  Type CDATA #FIXED 'ST'">
ATTLIST MSH.8 %MSH.8.ATTRIBUTES; >
!<!ENTITY % MSH.9.CONTENT "%CM_MSG_TYPE;">
ELEMENT MSH.9 %MSH.9.CONTENT;>
ENTITY % MSH.9.ATTRIBUTES "Item CDATA #FIXED '9'
  Table CDATA #FIXED '76'
LongName CDATA #FIXED 'Message Type'
Type CDATA #FIXED 'CM_MSG_TYPE'">
<!ATTLIST MSH.9 %MSH.9.ATTRIBUTES; >
<!ENTITY % MSH.10.CONTENT "%ST;">
<!ELEMENT MSH.10 %MSH.10.CONTENT;>
<!ENTITY % MSH.10.ATTRIBUTES "Item CDATA #FIXED '10'
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Message Control ID'
  Type CDATA #FIXED 'ST'">
<!ATTLIST MSH.10 %MSH.10.ATTRIBUTES; >
<!ENTITY % MSH.11.CONTENT "%PT;">
<!ELEMENT MSH.11 %MSH.11.CONTENT;>
<!ENTITY % MSH.11.ATTRIBUTES "Item CDATA #FIXED '11'</pre>
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Processing ID'
 Type CDATA #FIXED 'PT'">
<!ATTLIST MSH.11 %MSH.11.ATTRIBUTES; >
<!ENTITY % MSH.12.CONTENT "%VID;">
<!ELEMENT MSH.12 %MSH.12.CONTENT;>
```


```
<!ENTITY % MSH.12.ATTRIBUTES "Item CDATA #FIXED '12'</pre>
  Table CDATA #FIXED '104'
  LongName CDATA #FIXED 'Version ID'
  Type CDATA #FIXED 'VID'">
<!ATTLIST MSH.12 %MSH.12.ATTRIBUTES; >
<!ENTITY % MSH.13.CONTENT "%NM;">
<!ELEMENT MSH.13 %MSH.13.CONTENT;>
<!ENTITY % MSH.13.ATTRIBUTES "Item CDATA #FIXED '13'</pre>
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Sequence Number'
  Type CDATA #FIXED 'NM'">
<!ATTLIST MSH.13 %MSH.13.ATTRIBUTES; >
<!ENTITY % MSH.14.CONTENT "%ST;">
<!ELEMENT MSH.14 %MSH.14.CONTENT;>
<!ENTITY % MSH.14.ATTRIBUTES "Item CDATA #FIXED '14'</pre>
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Continuation Pointer'
Type CDATA #FIXED 'ST'">
≥ ATTLIST MSH.14 %MSH.14.ATTRIBUTES; >
ENTITY % MSH.15.CONTENT "%ID;">
ELEMENT MSH.15 %MSH.15.CONTENT; >
ENTITY % MSH.15.ATTRIBUTES "Item CDATA #FIXED '15'
. Table CDATA #FIXED '155'
LongName CDATA #FIXED 'Accept Acknowledgment Type'
Type CDATA #FIXED 'ID'">
ATTLIST MSH.15 %MSH.15.ATTRIBUTES; >
ENTITY % MSH.16.CONTENT "%ID;">


¿delement MSH.16 %MSH.16.CONTENT;>
<!ENTITY % MSH.16.ATTRIBUTES "Item CDATA #FIXED '16'</pre>
 Table CDATA #FIXED '155'
 LongName CDATA #FIXED 'Application Acknowledgment Type'
 Type CDATA #FIXED 'ID'">
<!ATTLIST MSH.16 %MSH.16.ATTRIBUTES; >
<!-- PID Field declarations -->
<!ENTITY % PID.3.CONTENT "%CX;">
<!ELEMENT PID.3 %PID.3.CONTENT;>
<!ENTITY % PID.3.ATTRIBUTES "Item CDATA #FIXED '106'</pre>
 Table CDATA #FIXED '0'
 LongName CDATA #FIXED 'Patient Identifier List'
 Type CDATA #FIXED 'CX'">
<!ATTLIST PID.3 %PID.3.ATTRIBUTES; >
<!ENTITY % PID.5.CONTENT "%XPN;">
<!ELEMENT PID.5 %PID.5.CONTENT;>
<!ENTITY % PID.5.ATTRIBUTES "Item CDATA #FIXED '108'</pre>
 Table CDATA #FIXED '0'
```

```
LongName CDATA #FIXED 'Patient Name'
   Type CDATA #FIXED 'XPN'">
 <!ATTLIST PID.5 %PID.5.ATTRIBUTES; >
 <!ENTITY % PID.6.CONTENT "%XPN;">
 <!ELEMENT PID.6 %PID.6.CONTENT;>
 <!ENTITY % PID.6.ATTRIBUTES "Item CDATA #FIXED '109'</pre>
   Table CDATA #FIXED '0'
   LongName CDATA #FIXED 'Mother' s Maiden Name'
   Type CDATA #FIXED 'XPN'">
 <!ATTLIST PID.6 %PID.6.ATTRIBUTES; >
 <!ENTITY % PID.7.CONTENT "%TS;">
 <!ELEMENT PID.7 %PID.7.CONTENT;>
 <!ENTITY % PID.7.ATTRIBUTES "Item CDATA #FIXED '110'</pre>
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Date/Time Of Birth'
  Type CDATA #FIXED 'TS'">
ATTLIST PID.7 %PID.7.ATTRIBUTES; >
ENTITY % PID.8.CONTENT "%IS;">
ELEMENT PID.8 %PID.8.CONTENT; >
ENTITY % PID.8.ATTRIBUTES "Item CDATA #FIXED '111'
Table CDATA #FIXED '1'
LongName CDATA #FIXED 'Administrative Sex'
Type CDATA #FIXED 'IS'">
ATTLIST PID.8 %PID.8.ATTRIBUTES; >
ENTITY % PID.9.CONTENT "%XPN;">
ELEMENT PID.9 %PID.9.CONTENT; >
ENTITY % PID.9.ATTRIBUTES "Item CDATA #FIXED '112'
Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Patient Alias'
  Type CDATA #FIXED 'XPN'">
<!ATTLIST PID.9 %PID.9.ATTRIBUTES; >
<!ENTITY % PID.10.CONTENT "%CE;">
<!ELEMENT PID.10 %PID.10.CONTENT;>
<!ENTITY % PID.10.ATTRIBUTES "Item CDATA #FIXED '113'</pre>
  Table CDATA #FIXED '5'
  LongName CDATA #FIXED 'Race'
  Type CDATA #FIXED 'CE'">
<!ATTLIST PID.10 %PID.10.ATTRIBUTES; >
<!ENTITY % PID.11.CONTENT "%XAD;">
<!ELEMENT PID.11 %PID.11.CONTENT;>
<!ENTITY % PID.11.ATTRIBUTES "Item CDATA #FIXED '114'</p>
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Patient Address'
  Type CDATA #FIXED 'XAD'">
<!ATTLIST PID.11 %PID.11.ATTRIBUTES; >
```

```
<!ENTITY % PID.12.CONTENT "%IS;">
 <!ELEMENT PID.12 %PID.12.CONTENT;>
 <!ENTITY % PID.12.ATTRIBUTES "Item CDATA #FIXED '115'</pre>
   Table CDATA #FIXED '289'
   LongName CDATA #FIXED 'County Code'
  Type CDATA #FIXED 'IS'">
 <!ATTLIST PID.12 %PID.12.ATTRIBUTES; >
 <!ENTITY % PID.13.CONTENT "%XTN;">
 <!ELEMENT PID.13 %PID.13.CONTENT;>
 <!ENTITY % PID.13.ATTRIBUTES "Item CDATA #FIXED '116'</pre>
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Phone Number - Home'
  Type CDATA #FIXED 'XTN'">
<!ATTLIST PID.13 %PID.13.ATTRIBUTES; >
<!ENTITY % PID.14.CONTENT "%XTN;">
<!ELEMENT PID.14 %PID.14.CONTENT:>
ENTITY % PID.14.ATTRIBUTES "Item CDATA #FIXED '117'
  Table CDATA #FIXED '0'
LongName CDATA #FIXED 'Phone Number - Business'
Type CDATA #FIXED 'XTN'">
ATTLIST PID.14 %PID.14.ATTRIBUTES; >
ENTITY % PID.16.CONTENT "%CE;">
[<!ELEMENT PID.16 %PID.16.CONTENT;>
ENTITY % PID.16.ATTRIBUTES "Item CDATA #FIXED '119'
Table CDATA #FIXED '2'
LongName CDATA #FIXED 'Marital Status'
Type CDATA #FIXED 'CE'">
<!ENTITY % PID.17.CONTENT "%CE;">
<!ELEMENT PID.17 %PID.17.CONTENT;>
<!ENTITY % PID.17.ATTRIBUTES "Item CDATA #FIXED '120'
  Table CDATA #FIXED '6'
  LongName CDATA #FIXED 'Religion'
  Type CDATA #FIXED 'CE'">
<!ATTLIST PID.17 %PID.17.ATTRIBUTES; >
<!ENTITY % PID.19.CONTENT "%ST;">
<!ELEMENT PID.19 %PID.19.CONTENT;>
<!ENTITY % PID.19.ATTRIBUTES "Item CDATA #FIXED '122'</pre>
  Table CDATA #FIXED '0'
 LongName CDATA #FIXED 'SSN Number - Patient'
  Type CDATA #FIXED 'ST'">
<!ATTLIST PID.19 %PID.19.ATTRIBUTES; >
<!ENTITY % PID.20.CONTENT "%DLN;">
<!ELEMENT PID.20 %PID.20.CONTENT:>
<!ENTITY % PID.20.ATTRIBUTES "Item CDATA #FIXED '123'
```

```
Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Driver's License Number - Patient'
  Type CDATA #FIXED 'DLN'">
<!ATTLIST PID.20 %PID.20.ATTRIBUTES; >
<!ENTITY % PID.22.CONTENT "%CE;">
<!ELEMENT PID.22 %PID.22.CONTENT;>
<!ENTITY % PID.22.ATTRIBUTES "Item CDATA #FIXED '125'</pre>
  Table CDATA #FIXED '189'
  LongName CDATA #FIXED 'Ethnic Group'
  Type CDATA #FIXED 'CE'">
<!ATTLIST PID.22 %PID.22.ATTRIBUTES; >
<!ENTITY % PID.23.CONTENT "%ST;">
<!ELEMENT PID.23 %PID.23.CONTENT;>
<!ENTITY % PID.23.ATTRIBUTES "Item CDATA #FIXED '126'
  Table CDATA #FIXED '0'
  LongName CDATA #FIXED 'Birth Place'
Type CDATA #FIXED 'ST'">
ATTLIST PID.23 %PID.23.ATTRIBUTES; >
ENTITY % PID.28.CONTENT "%CE;">
ELEMENT PID.28 %PID.28.CONTENT;>
ENTITY % PID.28.ATTRIBUTES "Item CDATA #FIXED '739'
Table CDATA #FIXED '212'
LongName CDATA #FIXED 'Nationality'
Type CDATA #FIXED 'CE'">
ATTLIST PID.28 %PID.28.ATTRIBUTES; >
111
m
[]
1
```





F16.29




FIG. 30